

**CIJENE SU BEZ PDV-a, VRIJEDE OD 10.06.2020.**

ARTICLE NUMBER	ABBREVIATION	ADDITIONAL DESIGNATION	PRICE PER PIECE	CURRENCY	COUNTRY OF ORIGIN
<a href="#">787-1001</a>	Switched-mode power supply	12 VDC/ 2 A	517,14	HRK	DE
<a href="#">787-1002</a>	Switched-mode power supply	24 VDC/ 1.3 A	432,99	HRK	CN
<a href="#">787-1007</a>	Switched-mode power supply	DALI, 18 VDC/ 1.1 A	673,97	HRK	DE
<a href="#">787-1011</a>	Switched-mode power supply	12 VDC/ 4 A	634,57	HRK	DE
<a href="#">787-1012</a>	Switched-mode power supply	24 VDC/ 2,5 A	503,37	HRK	CN
<a href="#">787-1014</a>	DC/DC Converter	IN 110 VDC; 24 VDC/ 2 A	756,59	HRK	DE
<a href="#">787-1014/072-000</a>	DC/DC Converter	IN 72 VDC; 24 VDC/ 2 A	827,35	HRK	DE
<a href="#">787-1015/072-000</a>	DC/DC Converter	IN 72 VDC; 12 VDC/ 4 A	1.096,25	HRK	DE
<a href="#">787-1017</a>	Switched-mode power supply	18 VDC/ 2.5 A	615,83	HRK	DE
<a href="#">787-1020</a>	Switched-mode power supply	5 VDC/ 5.5 A	799,05	HRK	DE
<a href="#">787-1021</a>	Switched-mode power supply	12 VDC/ 6.5 A	939,42	HRK	DE
<a href="#">787-1022</a>	Switched-mode power supply	24 VDC/ 4 A	675,12	HRK	CN
<a href="#">787-1102</a>	Switched-mode power supply	24 VDC/ 1,3 A	381,93	HRK	CN
<a href="#">787-1112</a>	Switched-mode power supply	24 VDC/ 2.5 A	443,70	HRK	CN
<a href="#">787-1122</a>	Switched-mode power supply	24 VDC/ 4 A	595,56	HRK	CN
<a href="#">787-1200</a>	Switched-mode power supply	24 VDC/ 0.5 A	183,37	HRK	CN
<a href="#">787-1202</a>	Switched-mode power supply	24 VDC/ 1.3 A	324,86	HRK	CN
<a href="#">787-1211</a>	Switched-mode power supply	12 VDC/ 5 A	382,99	HRK	CN
<a href="#">787-1212</a>	Switched-mode power supply	24 VDC/ 2.5 A	348,46	HRK	CN
<a href="#">787-1216</a>	Switched-mode power supply	24 VDC/ 4.2 A	466,65	HRK	CN
<a href="#">787-1226</a>	Switched-mode power supply	24 VDC/ 6 A	589,82	HRK	CN
<a href="#">787-1601</a>	Switched-mode power supply	12 VDC/ 2 A	590,58	HRK	DE
<a href="#">787-1602</a>	Switched-mode power supply	24 VDC/ 1 A	525,56	HRK	DE
<a href="#">787-1606</a>	Switched-mode power supply	24 VDC/ 2 A	566,87	HRK	DE
<a href="#">787-1611</a>	Switched-mode power supply	12 VDC/ 4 A	739,76	HRK	DE
<a href="#">787-1616</a>	Switched-mode power supply	24 VDC/ 4 A	879,75	HRK	DE
<a href="#">787-1616/000-070</a>	Switched-mode power supply	24 VDC/ 4 A	1.156,30	HRK	DE
<a href="#">787-1616/000-1000</a>	Switched-mode power supply	24 VDC/ 3.8 A	948,99	HRK	DE
<a href="#">787-1621</a>	Switched-mode power supply	12 VDC/ 7 A	919,15	HRK	DE
<a href="#">787-1622</a>	Switched-mode power supply	24 VDC/ 5 A	1.115,76	HRK	DE
<a href="#">787-1623</a>	Switched-mode power supply	48 VDC/ 2 A	877,46	HRK	DE
<a href="#">787-1628</a>	Switched-mode power supply	2-ph, 24 VDC/ 5 A	1.468,04	HRK	DE
<a href="#">787-1631</a>	Switched-mode power supply	12 VDC/ 15 A	1.759,89	HRK	DE

<a href="#">787-1632</a>	Switched-mode power supply	24 VDC/ 10 A	1.502,85 HRK	DE
<a href="#">787-1632/000-070</a>	Switched-mode power supply	24 VDC/ 10 A	2.400,96 HRK	DE
<a href="#">787-1633</a>	Switched-mode power supply	48 VDC/ 5 A	1.741,91 HRK	DE
<a href="#">787-1634</a>	Switched-mode power supply	24 VDC/ 20 A	2.149,27 HRK	DE
<a href="#">787-1634/000-070</a>	Switched-mode power supply	24 VDC/ 20 A	3.462,01 HRK	DE
<a href="#">787-1635</a>	Switched-mode power supply	48 VDC/ 10 A	2.463,30 HRK	DE
<a href="#">787-1635/000-070</a>	Switched-mode power supply	48 VDC/ 10 A	3.234,04 HRK	DE
<a href="#">787-1638</a>	Switched-mode power supply	2-ph, 24 VDC/ 10 A	1.850,92 HRK	DE
<a href="#">787-1640</a>	Switched-mode power supply	3-ph, 24 VDC/ 10 A	1.600,38 HRK	DE
<a href="#">787-1642</a>	Switched-mode power supply	3-ph, 24 VDC/ 20 A	1.969,11 HRK	DE
<a href="#">787-1644</a>	Switched-mode power supply	3-ph, 24 VDC/ 40 A	3.130,38 HRK	DE
<a href="#">787-1650</a>	DC/DC Converter	IN 24 VDC; 12 VDC/ 4 A	837,30 HRK	DE
<a href="#">787-1662</a>	Electronic Circuit Breaker	2-CH 24 VDC/ 2 – 10 A	689,65 HRK	DE
<a href="#">787-1662/000-054</a>	Electronic Circuit Breaker	2-CH 24 VDC/ 2 – 10 A	782,60 HRK	DE
<a href="#">787-1662/000-250</a>	Electronic Circuit Breaker	2-CH 48 VDC/ 2 – 10 A	959,70 HRK	DE
<a href="#">787-1662/004-1000</a>	Electronic Circuit Breaker	2-CH 24 VDC/ 3.8 A	959,70 HRK	DE
<a href="#">787-1662/006-1000</a>	Electronic Circuit Breaker	2-CH 24 VDC/ 0.5 – 6 A	862,54 HRK	DE
<a href="#">787-1662/106-000</a>	Electronic Circuit Breaker	2-CH 24 VDC/ 1 – 6 A	689,65 HRK	DE
<a href="#">787-1664</a>	Electronic Circuit Breaker	4-CH 24 VDC/ 2 – 10 A	888,55 HRK	DE
<a href="#">787-1664/000-004</a>	Electronic Circuit Breaker	4-CH 24 VDC/ 2 – 10 A	888,55 HRK	DE
<a href="#">787-1664/000-011</a>	Electronic Circuit Breaker	4-CH 24 VDC	888,55 HRK	DE
<a href="#">787-1664/000-054</a>	Electronic Circuit Breaker	4-CH 24 VDC/ 2 – 10 A	959,70 HRK	DE
<a href="#">787-1664/000-080</a>	Electronic Circuit Breaker	4-CH 24 VDC/ 2 – 10 A	1.049,58 HRK	DE
<a href="#">787-1664/000-100</a>	Electronic Circuit Breaker	4-CH 12 VDC/ 2 – 10 A	1.062,97 HRK	DE
<a href="#">787-1664/000-200</a>	Electronic Circuit Breaker	4-CH 48 VDC/ 2 – 10 A	1.342,96 HRK	DE
<a href="#">787-1664/000-250</a>	Electronic Circuit Breaker	4-CH 48 VDC/ 2 – 10 A	1.342,96 HRK	DE
<a href="#">787-1664/004-1000</a>	Electronic Circuit Breaker	4-CH 24 VDC/ 3.8 A	1.342,96 HRK	DE
<a href="#">787-1664/006-1000</a>	Electronic Circuit Breaker	4-CH 24 VDC/ 0.5 – 6 A	1.191,11 HRK	DE
<a href="#">787-1664/006-1054</a>	Electronic Circuit Breaker	4-CH 24 VDC/ 0.5 – 6 A	1.342,96 HRK	DE
<a href="#">787-1664/106-000</a>	Electronic Circuit Breaker	4-CH 24 VDC/ 1 – 6 A	888,55 HRK	DE
<a href="#">787-1664/106-011</a>	Electronic Circuit Breaker	4-CH 24 VDC	888,55 HRK	DE
<a href="#">787-1664/212-1000</a>	Electronic Circuit Breaker	4-CH 24 VDC/ 2 – 12 A	1.598,09 HRK	DE
<a href="#">787-1668</a>	Electronic Circuit Breaker	8-CH 24 VDC/ 2 – 10 A	1.518,91 HRK	DE
<a href="#">787-1668/000-004</a>	Electronic Circuit Breaker	8-CH 24 VDC/ 2 – 10 A	1.518,91 HRK	DE
<a href="#">787-1668/000-054</a>	Electronic Circuit Breaker	8-CH 24 VDC/ 2 – 10 A	1.598,09 HRK	DE
<a href="#">787-1668/000-080</a>	Electronic Circuit Breaker	8-CH 24 VDC/ 2 – 10 A	1.723,17 HRK	DE

<a href="#">787-1668/000-200</a>	Electronic Circuit Breaker	8-CH 48 VDC/ 2 – 10 A	2.157,69 HRK	DE
<a href="#">787-1668/000-250</a>	Electronic Circuit Breaker	8-CH 48 VDC/ 2 – 10 A	2.129,76 HRK	DE
<a href="#">787-1668/006-1000</a>	Electronic Circuit Breaker	8-CH 24 VDC/ 0.5 – 6 A	2.024,19 HRK	DE
<a href="#">787-1668/006-1054</a>	Electronic Circuit Breaker	8-CH 24 VDC/ 0.5 – 6 A	2.305,71 HRK	DE
<a href="#">787-1668/106-000</a>	Electronic Circuit Breaker	8-CH 24 VDC/ 1 – 6 A	1.518,91 HRK	DE
<a href="#">787-1668/106-054</a>	Electronic Circuit Breaker	8-CH 24 VDC	1.691,42 HRK	DE
<a href="#">787-1671</a>	Lead-acid AGM battery module	24 VDC/ 5 A/ 0.8 A	721,02 HRK	DE
<a href="#">787-1675</a>	Switched-mode power supply with integrated charger and controller	24 VDC/ 5 A	1.715,13 HRK	DE
<a href="#">787-1685</a>	Redundancy Module	24 VDC/ 20 A	1.366,29 HRK	DE
<a href="#">787-1701</a>	Switched-mode power supply	12 VDC/ 2 A	249,78 HRK	CN
<a href="#">787-1702</a>	Switched-mode power supply	24 VDC/ 1.25 A	249,78 HRK	CN
<a href="#">787-1711</a>	Switched-mode power supply	12 VDC/ 4 A	313,73 HRK	CN
<a href="#">787-1712</a>	Switched-mode power supply	24 VDC/ 2.5 A	313,73 HRK	CN
<a href="#">787-1721</a>	Switched-mode power supply	12 VDC/ 8 A	459,00 HRK	CN
<a href="#">787-1722</a>	Switched-mode power supply	24 VDC/ 5 A	459,00 HRK	CN
<a href="#">787-1732</a>	Switched-mode power supply	24 VDC/ 10 A	753,53 HRK	CN
<a href="#">787-2742</a>	Power supply unit	3-ph, 24 VDC/ 20 A	1.579,35 HRK	CN
<a href="#">787-2744</a>	Switched-mode power supply	3-ph, 24 VDC/ 40 A	2.321,78 HRK	CN
<a href="#">787-2801</a>	DC/DC Converter	IN 24 VDC; 5 VDC/ 0.5 A	296,06 HRK	DE
<a href="#">787-2802</a>	DC/DC Converter	IN 24 VDC; 10 VDC/ 0.5 A	286,38 HRK	DE
<a href="#">787-2803</a>	DC/DC Converter	IN 48 VDC; 24 VDC/ 0.5 A	358,02 HRK	DE
<a href="#">787-2805</a>	DC/DC Converter	IN 24 VDC; 12 VDC/ 0.5 A	296,06 HRK	DE
<a href="#">787-2810</a>	DC/DC Converter	IN 24 VDC; 5, 10, 12 VDC/ 0.5 A	385,18 HRK	DE
<a href="#">787-2850</a>	Switched-mode power supply	24 VDC/ 1,25 A	468,57 HRK	DE
<a href="#">787-2852</a>	Switched-mode power supply	24 VDC/ 1 A	1.048,44 HRK	DE
<a href="#">787-2861/100-000</a>	Electronic Circuit Breaker	1-channel 24 VDC/ 1 A	274,83 HRK	DE
<a href="#">787-2861/108-020</a>	Electronic Circuit Breaker	1-channel 24 VDC/ 1 – 8 A	329,95 HRK	DE
<a href="#">787-2861/200-000</a>	Electronic Circuit Breaker	1-channel 24 VDC/ 2 A	274,83 HRK	DE
<a href="#">787-2861/400-000</a>	Electronic Circuit Breaker	1-channel 24 VDC/ 4 A	274,83 HRK	DE
<a href="#">787-2861/600-000</a>	Electronic Circuit Breaker	1-channel 24 VDC/ 6 A	274,83 HRK	DE
<a href="#">787-2861/800-000</a>	Electronic Circuit Breaker	1-channel 24 VDC/ 8 A	274,83 HRK	DE
<a href="#">787-602</a>	Switched-mode power supply	24 VDC/ 1.3 A	790,63 HRK	DE
<a href="#">787-612</a>	Switched-mode power supply	24 VDC/ 2.5 A	953,96 HRK	DE
<a href="#">787-622</a>	Switched-mode power supply	24 VDC/ 5 A	1.531,15 HRK	DE
<a href="#">787-632</a>	Switched-mode power supply	24 VDC/ 10 A	2.072,77 HRK	DE

<a href="#">787-6716</a>	Switched-mode power supply	24 VDC/ 4 A	2.010,42 HRK	CZ
<a href="#">787-6716/9000-1000</a>	con. 7/8"	7/8 inch 3-pole	430,32 HRK	DE
<a href="#">787-6716/9100-000</a>	con. 7/8"	7/8 inch 3-pole	223,57 HRK	DE
<a href="#">787-6716/9300-000</a>	con. 7/8"	7/8 inch 3-pole	203,26 HRK	DE
<a href="#">787-6716/9310-030</a>	cable assym. 7/8"	7/8 inch 3-pole	321,07 HRK	DE
<a href="#">787-6716/9310-050</a>	cable assym. 7/8"	7/8 inch 3-pole	422,67 HRK	DE
<a href="#">787-6716/9310-100</a>	cable assym. 7/8"	7/8 inch 3-pole	673,97 HRK	DE
<a href="#">787-6716/9400-000</a>	con. 7/8"	7/8 inch 3-pole	230,23 HRK	DE
<a href="#">787-6716/9500-000</a>	con. 7/8"	7/8 inch 5-pole	234,63 HRK	DE
<a href="#">787-6716/9510-015</a>	cable assym. 7/8"	7/8 inch 5-pole	299,08 HRK	DE
<a href="#">787-6716/9510-030</a>	cable assym. 7/8"	7/8 inch 5-pole	403,92 HRK	DE
<a href="#">787-6716/9510-050</a>	cable assym. 7/8"	7/8 inch 5-pole	542,77 HRK	DE
<a href="#">787-6716/9600-000</a>	con. 7/8"	7/8 inch 5-pole	236,85 HRK	DE
<a href="#">787-6716/9700-000</a>	con. 7/8"	7/8 inch 5-pole	272,08 HRK	DE
<a href="#">787-6716/9800-000</a>	con. 7/8"	7/8 inch 5-pole	272,08 HRK	DE
<a href="#">787-692</a>	Switched-mode power supply	AS-Interface, 30.5 VDC/ 3 A	1.425,96 HRK	DE
<a href="#">787-712</a>	Switched-mode power supply	24 VDC/ 2.5 A	560,37 HRK	CN
<a href="#">787-722</a>	Switched-mode power supply	24 VDC/ 5 A	800,19 HRK	CN
<a href="#">787-732</a>	Switched-mode power supply	24 VDC/ 10 A	1.153,62 HRK	CN
<a href="#">787-734</a>	Switched-mode power supply	24 VDC/ 20 A	1.629,45 HRK	CN
<a href="#">787-736</a>	Switched-mode power supply	24 VDC/ 40 A	3.258,14 HRK	CN
<a href="#">787-738</a>	Switched-mode power supply	3-ph, 24 VDC/ 6.25 A	1.015,54 HRK	CN
<a href="#">787-740</a>	Switched-mode power supply	3-ph, 24 VDC/ 10 A	1.355,97 HRK	CN
<a href="#">787-742</a>	Switched-mode power supply	3-ph, 24 VDC/ 20 A	1.696,01 HRK	CN
<a href="#">787-783</a>	Redundancy Module	IN 2 x 9 – 54 VDC/ 12.5 A; 9 – 54 VDC/ 25 A	384,03 HRK	CN
<a href="#">787-783/000-040</a>	Redundancy Module	IN 2 x 9 – 54 VDC/ 12.5 A; 9 – 54 VDC/ 25 A	454,41 HRK	CN
<a href="#">787-785</a>	Redundancy Module	IN 2 x 9 – 54 VDC/ 40 A; 9 – 54 VDC/ 40 A	594,03 HRK	CN
<a href="#">787-785/000-040</a>	Redundancy Module	IN 2 x 9 – 54 VDC/ 40 A; 9 – 54 VDC/ 40 A	658,67 HRK	CN
<a href="#">787-818</a>	Switched-mode power supply	24 VDC/ 3 A	1.019,75 HRK	DE
<a href="#">787-819</a>	Switched-mode power supply	12 VDC/ 6 A	1.617,98 HRK	DE
<a href="#">787-821</a>	Switched-mode power supply	12 VDC/ 10 A	1.927,04 HRK	DE
<a href="#">787-822</a>	Switched-mode power supply	24 VDC/ 5 A	1.371,27 HRK	DE
<a href="#">787-831</a>	Switched-mode power supply	12 VDC/ 15 A	2.122,11 HRK	DE
<a href="#">787-832</a>	Switched-mode power supply	24 VDC/ 10 A	1.832,94 HRK	DE
<a href="#">787-833</a>	Switched-mode power supply	48 VDC/ 5 A	2.172,22 HRK	DE
<a href="#">787-834</a>	Switched-mode power supply	24 VDC/ 20 A	2.491,23 HRK	DE

<a href="#">787-835</a>	Switched-mode power supply	48 VDC/ 10 A	2.898,97 HRK	DE
<a href="#">787-840</a>	Switched-mode power supply	3-ph, 24 VDC/ 10 A	1.582,02 HRK	DE
<a href="#">787-842</a>	Switched-mode power supply	3-ph, 24 VDC/ 20 A	1.944,25 HRK	DE
<a href="#">787-844</a>	Switched-mode power supply	3-ph, 24 VDC/ 40 A	3.362,18 HRK	DE
<a href="#">787-844/000-002</a>	Switched-mode power supply	3-ph, 24 VDC/ 40 A	3.440,59 HRK	DE
<a href="#">787-845</a>	Switched-mode power supply	3-ph, 48 VDC/ 10 A	2.792,64 HRK	DE
<a href="#">787-847</a>	Switched-mode power supply	3-ph, 48 VDC/ 20 A	3.816,21 HRK	DE
<a href="#">787-850</a>	Switched-mode power supply	3-ph, 24 VDC/ 10 A	2.193,26 HRK	DE
<a href="#">787-852</a>	Switched-mode power supply	3-ph, 24 VDC/ 20 A	2.570,40 HRK	DE
<a href="#">787-854</a>	Switched-mode power supply	3-ph, 24 VDC/ 40 A	4.043,03 HRK	DE
<a href="#">787-860</a>	Electronic Circuit Breaker	4-CH 24 VDC	1.464,98 HRK	DE
<a href="#">787-862</a>	Electronic Circuit Breaker	4-CH 24 VDC	1.582,41 HRK	DE
<a href="#">787-870</a>	Uninterruptible power supply charger and controller	IN 24 VDC; 24 VDC/ 10 A	1.859,72 HRK	DE
<a href="#">787-871</a>	Lead-acid AGM battery module	24 VDC/ 20 A/ 3.2 Ah	1.214,44 HRK	DE
<a href="#">787-872</a>	Lead-acid AGM battery module	24 VDC/ 40 A/ 7 Ah	1.250,01 HRK	DE
<a href="#">787-873</a>	Lead-acid AGM battery module	24 VDC/ 40 A/ 12 Ah	1.838,68 HRK	DE
<a href="#">787-875</a>	Uninterruptible power supply charger and controller	IN 24 VDC; 24 VDC/20 A	2.247,57 HRK	DE
<a href="#">787-876</a>	Lead-acid AGM battery module	24 VDC/ 7.5 A/ 1.2 Ah	801,34 HRK	DE
<a href="#">787-878/000-2500</a>	Pure Lead Battery Module	24 VDC/ 20 A/ 2.5 Ah	3.021,75 HRK	DE
<a href="#">787-878/001-3000</a>	Pure Lead Battery Module	24 VDC/ 40 A/ 13 Ah	6.146,78 HRK	DE
<a href="#">787-880</a>	Capacitive Buffer Module	24 VDC/ 10 A	1.512,41 HRK	DE
<a href="#">787-881</a>	Capacitive Buffer Module	24 VDC/ 20 A	1.900,65 HRK	DE
<a href="#">787-885</a>	Redundancy Module	IN 2 x 24 VDC; 24 VDC/ 20 A	980,35 HRK	DE
<a href="#">787-886</a>	Redundancy Module	IN 2 x 48 VDC; 48 VDC/ 20 A	1.599,24 HRK	DE
<a href="#">787-890</a>	RS-232 communication cable	Length 1.8 m	434,14 HRK	DE
<a href="#">787-892</a>	RS-232 communication cable	Length 1.8 m for 0787-1675	434,14 HRK	DE
<a href="#">787-895</a>	EPSITRON® wall mount adapter	for screw fixing	52,52 HRK	DE
<a href="#">787-896</a>	Carrier rail adapter	for mounting 787-8xx devices to a DI	126,73 HRK	DE
<a href="#">787-897</a>	Carrier rail adapter made of zinc die-cast	for mounting 787-8xx devices to a DI	66,63 HRK	DE
<a href="#">787-898/000-010</a>	Strain relief	MCS MAXI PRO Power	85,03 HRK	DE
<a href="#">787-914</a>	Switched-mode power supply	22 VDC/ 1 A	298,77 HRK	CN
<a href="#">787-915</a>	Uninterruptible power supply charger and controller	IN 24 VDC; 24 VDC/ 40 A	2.453,36 HRK	DE

<a href="#">787-916</a>	Capacitive Buffer Module	24 VDC/ 40 A	2.145,83 HRK	DE
<a href="#">787-974</a>	Transformer power supply	12/24 VAC/ 40 VA	258,84 HRK	CN
<a href="#">787-976</a>	Transformer power supply	12/24 VAC/ 63 VA	413,10 HRK	CN
<a href="#">787-980</a>	RISF, 1-phase	Radio interference suppression filter	644,13 HRK	DE
<a href="#">2787-2146</a>	Power supply unit Pro 2	24 VDC/ 10 A	1.036,20 HRK	CN
<a href="#">2787-2147</a>	Power supply unit Pro 2	24 VDC/ 20 A	1.406,46 HRK	CN
<a href="#">2787-2448</a>	Power supply unit Pro 2	24 VDC/ 40 A	1.875,02 HRK	CN
<a href="#">2789-9080</a>	Communication module	IO-Link	192,44 EUR	VN